

Thank you for your inquiry. We have the pleasure of quoting the items in accordance with specification.

Customer GALYA-3

Model and finish Broby, a handpainted recessed frame door. All other interior is delivered primed.
Finish ash, hand-painted pearl green.

Cost according to drawing Furniture 16 400,34

Total amount EUR excl. VAT and custom documents **16 400,00**

Delivery terms Ex works

Delivery time 10 weeks

Assembly The assembly costs are not included in the quotation. We recommend our authorized kitchen assemblers to guarantee the quality of the assembly.

Payment terms Prepayment 100% 30 days before delivery.

Quote valid until 2012-08-18

Best regards

Katarina Nilsson
Kitchen designer
Kvånum kök AB, Kökets Hus

Address
Kvånum kök AB, Kökets Hus
Bystorp
535 92 Kvånum

Contact
Email katarina.nilsson@kvanum.com
Phone +46 512-29892
Mobile +46 733 16 79 20
Fax +46 512-29898

VAT no
556202-3159

www.kvanum.com

Why Kvänum?

Kvänum has ever since 1923 been supplying furnishing solutions distinguished by mood and ambience for the discerning customer. We do this by uniting the best of all worlds. Partly through the application of soul, craftsmanship and flexibility by remaining an authentic kitchen and furniture joinery. And partly through the quality, design and systematic approach that has made us the leading Scandinavian manufacturer of high quality furnishing. But above all through the special Nordic warmth that is rooted in our history, our use of wood, and our devotion to providing our customers with a first-class journey.

Our entire manufacturing is built up around a philosophy of authenticity. And it is this authenticity that ensures that our interior last longer – and become more and more beautiful as the years go by. Genuine craftsmanship of the highest quality never goes out of fashion.

Our specialty is generating personalized interiors that we create via a close working relationship with you, our customer, our designers and our craftsmen. Everything we create bears the name of its owner from the moment we start work. Thanks to our unique conditions for creating customer-specific furnishing, we can supply holistic solutions in the true sense of the term, and for all the rooms in the home: from kitchen and bathroom, to library, bedrooms, walk-in closets and much more.



Environmental responsibility

Kvänum's quality and durability are our most important way of taking responsibility for our environment – nothing creates such environmental (and economical) savings as not having the need to change anything for years to come. Few can offer the same long lasting quality that Kvänum can. By means of thorough quality control Kvänum guarantees the environmental production of wood, e.g. FSC or Svan marked wood (Swedish environmentally certified). Choosing Kvänum is to clearly take responsibility for our common environment.

Quality and Guarantee

Kvänum can, due to the high product quality give 20 years guarantee on all wooden products, with the exception of doors and shelf fronts which have a 3 year guarantee. The guarantee is for manufacturing faults, i.e. construction, materials and production faults.

Kvänum's fixtures are tested and approved by Möbelfaktas test "Quality, safety and environment", registration no. 003 007 2001.

For appliances, taps and work surfaces Kvänum's guarantee is in accordance with our suppliers' guarantees

You will find the complete terms and conditions in the purchase contract.



Furniture

Pos	Code	Description	Hinges	Quantity	Unit
1	8410-V	Filler piece 98, veneered laminboard 19 mm (vertical) Width = 20, Height = 1990, Depth = 580		1,000	pce
1.1	SPECMATT	Special size		1,000	pce
2	LK16-64	Tall unit for integr. fridge/freezer H: 1780 mm	L	1,000	pce
3	S1F-19-2090-580-H	Side L+, right veneered, del. 2110 x 580 mm Height = 1990, Thickness = 580		1,000	pce
4	GL0-70	Base unit, 1 drawer, 2 tall drawers, 700 mm		1,000	pce
4.1	4205	Rubber mat 70		2,000	pce
4.2	400-70-10-58	Cutlery insert + utensil 70		1,000	pce
5	S1M-19-870-580	Side U+, mel. fr. edged, del. 890 x 580 mm Height = 870, Thickness = 580		1,000	pce
6	S1M-19-870-580	Side U+, mel. fr. edged, del. 890 x 580 mm Height = 870, Thickness = 580		1,000	pce
7	HSC-100-49	Corner unit, swing corner, 1000/492 mm Direction = Right, Offset = 152, Filler, thickness = 40		1,000	pce
7.1	8410-V	Filler piece 98, veneered laminboard 19 mm (vertical) Height = 770, Depth = 580	L	1,000	pce
8	HU-90	Corner unit, crossed and fixed shelves, 900 mm	R	1,000	pce
9	S1M-19-770-580	Side U, mel. fr. edged, 770 x 580 mm Height = 770, Thickness = 580		1,000	pce
10	S1F-19-2090-580-V	Side L+, left veneered, del. 2110 x 580 mm Height = 1990, Thickness = 580		1,000	pce
11	LUM1-64	Tall unit for integr. oven + micro Rebuilt front	R	1,000	pce
11.1	SPECMATT	Special size, adapted to two 450 mm niches.		1,000	pce
12	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 610, Height = 1990		1,214	m²
13	D-100	Sink unit, shelf in stainless steel, 1000 mm		1,000	pce
14	GL2-90	Base unit, 2 drawers, 2 tall drawers, 900 mm		1,000	pce
14.1	4207	Rubber mat 90		2,000	pce
14.2	400-45-10-58	Cutlery insert 45		1,000	pce
14.3	400-45-30-58	Spice jar insert 45		1,000	pce
15	DM10-60	Dishwasher door fully integr. 60		1,000	pce
15.1	S1M-19-870-580	Side U+, mel. fr. edged, del. 890 x 580 mm Height = 870, Thickness = 580, Position = Standing		2,000	pce
15.2	SPECMATT	Special size		1,000	pce
16	S1M-19-1300-360	Side PO, mel. fr. edged, 1300 x 360 mm Height = 1300, Thickness = 360		1,000	pce
17	PO-50	Wall unit, 4 shelves, 500 mm BrobyDoortype wall unit fill./fill.	L	1,000	pce
17.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
18	TL-5403	Dummy door PO, max 1300 x 400 mm Depth = 360, Direction = Right		1,000	pce

19	TL-5403	Dummy door PO, max 1300 x 400 mm Depth = 360, Direction = Left		1,000	pce
20	PO-50	Wall unit, 4 shelves, 500 mm BrobyDoortype wall unit fill./fill.	R	1,000	pce
20.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
21	PHO-60	Corner unit, diagonal front, 600 mm Changed colours BrobyDoortype wall unit fill./fill.	L	1,000	pce
21.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
22	PO-50	Wall unit, 4 shelves, 500 mm BrobyDoortype wall unit fill./fill.	L	1,000	pce
22.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
23	TL-5403	Dummy door PO, max 1300 x 400 mm Depth = 360, Direction = Right		1,000	pce
24	TL-5403	Dummy door PO, max 1300 x 400 mm Depth = 360, Direction = Left		1,000	pce
25	PO-50	Wall unit, 4 shelves, 500 mm BrobyDoortype wall unit fill./fill.	R	1,000	pce
25.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
26	PHO-60	Corner unit, diagonal front, 600 mm Changed colours BrobyDoortype wall unit fill./fill.	R	1,000	pce
26.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
27	PO-40	Wall unit, 4 shelves, 400 mm BrobyDoortype wall unit fill./fill.	R	1,000	pce
27.1	LSIB-1	Spotlight LED, 1 pc mounted beneath carcass bottom		1,000	pce
28	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 585, Height = 680		0,398	m ²
29	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 580, Height = 580		0,336	m ²
30	LOK-64-58	Additional top unit, 640 mm	L	1,000	pce
31	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 360, Height = 1844		0,664	m ²
32	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 615, Height = 700		0,430	m ²
33	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 610, Height = 580		0,354	m ²
34	LOK-64-58	Additional top unit, 640 mm	R	1,000	pce
35	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 610, Height = 580		0,354	m ²
36	R1F-19-HR	Board 19 mm, veneered on 1 side (grain along height) Width = 580, Height = 580		0,336	m ²
37	71771	Transformer LED, dimmable, 3-6 spotlights		3,000	pce
504	2695	Plinth Sundby 120 mm		4,000	pce
505	2694	Concave moulding 65 x 65 mm		8,967	m